

# Certificate Of Analysis For Ayurvedam™ Charcoal Toothpaste

<b>Product Name:</b>	Ayurvedam Toothpaste Charcoal
<b>Batch No:</b>	Sample
<b>Mfg. Date:</b>	11/2024
<b>Exp. Date:</b>	Best before 24 months
<b>Manufactured by:</b>	Naturamin Product LLP Haridwar UK.

Sr. No.	Parameters	Specification	Results
1	Fineness		Toothpaste Charcoal
a)	Partical retained on 150 micron IS Sieve, Percent by mass	NMT 10	0.008
b)	Partical retained on 75 micron IS Sieve, Percent by mass	NMT 2.5	0.015
2	pH of aqueous suspension	5.5 to 10.5	7.27
3	Heavy metals (as lead), parts per million	NMT 20	<20
4	Arsenic (as As <sub>2</sub> O <sub>3</sub> ), parts per million	NMT 2	<2
5	Foaming power, ml	NLT 50	40
6	Viscosity (S-95, rpm12, Temp 25± 2		102000

**Remarks:-** The Finished Product complies / doesn't comply as per IH specification.

\*API = Ayurvedic Pharmacopeia of India.

Format No : SAMPL/QA/SOP-18/FR-03/Rev-00



#### Corporate Address

WZ-114, 2nd Floor, Meenakshi Garden, Near Subhash Nagar Metro Station, New Delhi-18

#### Manufacturing Address

Haridwar, Uttarakhand